















General Notes

- Submitted Plans shall be drawn to scale and shall include complete elevations, plot plan and construction details
- Design modifications to accommodate special circumstances are permitted, provided all deviations must be approved by the Planning Board /Board of Adjustment.
- All trash compactor enclosures shall be approved by the Planning Board /Board of Adjustment.
- Enclosure materials shall be specified in a note as follows:

BLOCK COLOR: _____
 BLOCK TYPE: _____
 SIZE: _____
 CAP COLOR: _____
 SIZE: _____
 GATE TYPE: _____
 FINISH COLOR: _____
 PEDESTRIAN ACCESS: _____

Circled Ref. No. Note

- 4" Concrete Foundation, extending 4" beyond enclosure walls, over 90% compacted base.
- 8" x 8" X 16", 6' high masonry walls coordinated to complement surrounding architecture to Planning Board / Board of Adjustment approval.
- 6" square 3/16" thick steel jamb tubes, concrete filled. 2" clearance between tube and walls.
- 16 ga. ribbed metal gates with 2" x 2" X 1/4" steel angle iron frame and diagonal bracing. Continuous weld all joints.
- 9" x 18" Concrete Curb.
- 6" thick Concrete Loading Pad over 90% compacted base, 4% maximum slope.
- Pedestrian gate, constructed to standards of Construction Note 4.
- Access ramp (use where raised walkway is to be installed).
- 6" raised concrete walkway, 36" wide (optional).
- Metal hinge, continuously welded to gate and jamb tube.
- 3/16" metal plate with slide bolt assembly welded in place (see detail).
- 14" x 36" Concrete footing.
- #4 horizontal re-bar.
- #4 vertical re-bar @ 32" O/C in concrete filled cells.
- #4 re-bar continuous in footing under walls and gate openings.
- Cane bolt and cane bolt receptacle (see detail sheet).

TOWN OF DOVER ENGINEERING DEPARTMENT 37 N. Sussex St. Dover, NJ 07801 (973) 366-2200	Michael A. Hantson, PE <i>[Signature]</i>	
	STANDARD TRASH ENCLOSURES	
June 6, 2008	SCALE: As Noted	REV: 1 OF 1